# reaction products of paraformaldehyde and 2-hydroxypropylamine (ratio 3:2)@ [formaldehyde released from 3,3'-methylenebis[5-methyloxazolidine]@ formaldehyde released from oxazolidi]@ MBO

## IDENTIFICATION NUMBERS

⚠ **Black list — Substances particularly hazardous to the environment or health**

## CLASSIFICATION AND LABELLING (Regulation 1272/2008)

### Symbols



**GHS05**

Corrosive to metals



**GHS06**

Acute toxicity (oral, dermal, inhalation)



**GHS08**

Respiratory sensitisation



**GHS09**

Hazardous to the aquatic environment

### H Phrases

**H350** : May cause cancer

Carc. (Cat. 1B) : Carcinogenicity

**H341** : Suspected of causing genetic defects

Muta. (Cat. 2) : Germ cell mutagenicity

**H311** : Toxic in contact with skin

Acute Tox. (Cat. 3) : Acute toxicity

**H332** : Harmful if inhaled

Acute Tox. (Cat. 4) : Acute toxicity

**H302** : Harmful if swallowed

Acute Tox. (Cat. 4) : Acute toxicity

**H373** : May cause damage to organs through prolonged or repeated exposure

STOT RE (Cat. 2) : Specific target organ toxicity - repeated exposure

**H314** : Causes severe skin burns and eye damage

Skin Corr. (Cat. 1B) : Skin corrosion/irritation

**H318** : Causes serious eye damage

Eye Dam. (Cat. 1) : Serious eye damage/eye irritation

**H317** : May cause an allergic skin reaction

Skin Sens. (Cat. 1A) : Respiratory/skin sensitization

**H411** : Toxic to aquatic life with long lasting effects

Aquatic Chronic (Cat. 2) : Hazardous to the aquatic environment

## Specific health risks

### Carcinogens and mutagens (Regulation 1272/2008)

Substances classified as carcinogenic or mutagenic under Regulation 1272/2008

### Sensitisers

Substances with skin or respiratory sensitisation potential