parathion-methyl

IDENTIFICATION NUMBERS

- **CAS:** 298-00-0
- **EC/EINECS:** 206-050-1
- **International Chemical Safety Card (ICSC):** 0626

MORE INFORMATION

- **Molecular Formula:** C8H10NO5PS
- **Synonyms:** tiofosfato de O,O-dimetilo y de O-4-nitrofenilo, metil paration, metilparation, paration-metil (ISO)

USES

pesticide

⚠ **Black list — Substances particularly hazardous to the environment or health**

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS02

Flammable gases



GHS06

Acute toxicity (oral, dermal, inhalation)



GHS08

Respiratory sensitisation



GHS09

Hazardous to the aquatic environment

Signal word: Danger

H Phrases

H226 : Flammable liquid and vapour

Flam. Liq. (Cat. 3) : Flammable liquid

H330 : Fatal if inhaled

Acute Tox. (Cat. 2 *) : Acute toxicity

H300 : Fatal if swallowed

Acute Tox. (Cat. 2 *) : Acute toxicity

H311 : Toxic in contact with skin

Acute Tox. (Cat. 3 *) : Acute toxicity

H400 : Very toxic to aquatic life

Aquatic Acute (Cat. 1) : Hazardous to the aquatic environment

H410 : Very toxic to aquatic life with long lasting effects

Aquatic Chronic (Cat. 1) : Hazardous to the aquatic environment

H373 : May cause damage to organs through prolonged or repeated exposure

STOT RE (Cat. 2 *) : Specific target organ toxicity - repeated exposure

Labelling

Concentration	Labelling
C >= 0,25 %	N; R50-53
0,025 % <= C < 0,25 %	N; R51-53
0,0025 % <= C < 0,025 %	R52-53
	M = 100

Specific health risks

Endocrine disruptors

Substances with endocrine disrupting activity

DISRUPTOR LEVEL

NS, UE1

Neurotoxic substances

Substances with neurotoxic effects

NEUROTOXIC EFFECT	LEVEL
COLINÉRGICO	2

SOURCE

14

According to IARC

Substances classified as carcinogens or mutagens Category 2 under the CLP Regulation (GHS), bearing H351 and/or H341 phrases. These are substances suspected of causing cancer or heritable genetic mutations in humans.

IARC GROUP	IARC VOLUME
Grupo 3	(VOL. 30, SUPL. 7; 1987)

Biological Exposure Indices (BEI)

Biological limit values (VLB) published by the Spanish National Institute of Safety and Health at Work (INSST). Reference values for assessing the risk of chemical agents by measuring them or their metabolites in biological matrices (blood, urine, exhaled air) of exposed workers.

BIOLOGICAL EXPOSURE INDICES

Biological indicator	BEI	Sampling time	Notes
Colinesterasa eritrocitaria	Reduccisn de la actividad al 70% del valor basal individual	Discrecional (7)	F, I, S

Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

OCCUPATIONAL EXPOSURE LIMITS

State / Form	TWA (ppm)	TWA (mg/m³)	STEL (ppm)	STEL (mg/m³)	Notes
—	—	0,02	—	—	vía dérmica, VLBa,ae,s, FIV

Restriction/prohibition regulations

Major accident hazards (Seveso)

Hazardous substances listed in Annex I of the Seveso III Directive (Directive 2012/18/EU), transposed in Spain by Royal Decree 840/2015. Their presence in industrial establishments in quantities equal to or above established thresholds triggers obligations to implement major accident risk control measures.