Subtilisin

IDENTIFICATION NUMBERS

- **CAS:** 9014-01-1
- **EC/EINECS:** 232-752-2

MORE INFORMATION

- **Synonyms:** ENZIMA ANIMAL

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS05

Corrosive to metals



GHS07

Acute toxicity (oral, dermal, inhalation



GHS08

Respiratory sensitisation

Signal word: **Danger**

H Phrases

H335 : May cause respiratory irritation

STOT SE (Cat. 3) : Specific target organ toxicity - single exposure

H315 : Causes skin irritation

Skin Irrit. (Cat. 2) : Skin corrosion/irritation

H318 : Causes serious eye damage

Eye Dam. (Cat. 1) : Serious eye damage/eye irritation

H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled

Resp. Sens. (Cat. 1) : Respiratory/skin sensitization

Specific health risks

Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

OCCUPATIONAL EXPOSURE LIMITS

State / Form	TWA (ppm)	TWA (mg/m³)	STEL (ppm)	STEL (mg/m³)	Notes
—	—	—	—	6e-005	Sen

Sensitisers

Substances with skin or respiratory sensitisation potential

Restriction/prohibition regulations

Substances under PACT evaluation

Substances under active regulatory monitoring through ECHA's PACT (Public Activities Coordination Tool). Allows tracking which regulatory authorities are examining a substance and what potential regulatory actions are being considered (restriction, SVHC identification, harmonised classification, etc.).